



TEXTURED



**HORSE FEEDS**

**1021**

**PRODUCT DATA**

DIG. ENERGY	1575.70	Kcal/lb
TDN	77.96	%
PROTEIN	12.00	%
LYSINE	0.63	%
METHIONINE	0.17	%
FAT	8.08	%
FIBER	8.69	%
NDF	17.17	%
ADF	8.87	%
ASH	4.46	%
CALCIUM	1.03	%
PHOSPHORUS	0.58	%
MAGNESIUM	0.22	%
POTASSIUM	0.96	%
SODIUM	0.30	%
SULFUR	0.23	%
COPPER	25.72	mg/lb
IODINE	0.62	mg/lb
IRON	95.38	mg/lb
MANGANESE	365.34	mg/lb
SELENIUM	0.27	mg/lb
ZINC	103.66	mg/lb
COBALT	0.14	mg/lb
CAROTENE	0.68	mg/lb
VITAMIN A	5.27	KIU/lb
VITAMIN D	0.54	KIU/lb
VITAMIN E	38.28	IU/lb
VITAMIN K	0.00	mg/lb
BIOTIN	0.29	mg/lb
CHOLINE	545.67	mg/lb
FOLATE	0.56	mg/lb
NIACIN	28.64	mg/lb
PANTOTHENIC ACID	8.03	mg/lb
RIBOFLAVIN	2.79	mg/lb
THIAMINE	4.18	mg/lb
PYRIDOXINE	3.24	mg/lb
VITAMIN B12	9.99	mcg/lb

TFP NUTRITION  
NACOGDOCHES, TEXAS

**TRACK STAR® WITH BEET PULP**

A high energy sweet feed containing shredded beet pulp formulated for speed and endurance in performance horses while minimizing the occurrence of digestive upset.

**BENEFITS**

- \* High caloric content with added fiber improves overall performance with reduced risk of digestive upset.
- \* Added oil maintains blood glucose levels for performance and endurance.
- \* Reduced lactic acid accumulation in the muscles for improved recovery time after exercise.
- \* Chelated trace minerals and organic selenium are more easily absorbed and retained for improved health.
- \* Fortified with vitamin E to maintain muscle health and performance in working horses.
- \* Molasses and vegetable oil maximizes palatability.

**FEATURES**

- \* 1576 Kcal/lb
- \* 12% protein
- \* Added vegetable oil
- \* Chelated trace minerals
- \* Organic selenium
- \* 15% shredded beet pulp
- \* Vitamin fortified

**GUARANTEED ANALYSIS**

Crude Protein, min.	12.00%
Crude Fat, min.	8.00%
Crude Fiber, max.	12.00%
Calcium (Ca), min.	0.90%
Calcium (Ca), max.	1.20%
Phosphorus (P), min.	0.50%
Copper (Cu), min.	55 ppm
Selenium (Se), min.	0.60 ppm
Zinc (Zn), min.	220 ppm
Vitamin A, min.	5,000 IU/LB
Vitamin D3, min.	500 IU/LB
Vitamin E, min.	36 IU/LB

**INGREDIENTS**


Crimped oats, shredded beet pulp (15%), chopped yellow corn, cane molasses, soybean meal, wheat middlings, rice bran, corn oil, soy lecithin, calcium carbonate, dicalcium phosphate, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, folic acid, thiamine mononitrate, pyridoxine hydrochloride, biotin, selenium yeast, zinc methionine complex, zinc sulfate, iron amino acid chelate, ferrous sulfate, manganese amino acid chelate, manganese sulfate, copper amino acid chelate, copper sulfate, ethylenediamine dihydroiodide.

**FEEDING DIRECTIONS**

The recommended feeding rate for TRACK STAR® WITH BEET PULP is shown in the chart below. Do not feed free choice. If you feed by dry measure, periodically weigh the feed to ensure that the proper amount is being fed. Observe the condition of your horse over a period of time. The recommended feeding rates may be increased or decreased by 10% to keep your horse in the desired condition. Do not exceed 10% above the recommended rate. Changes in feed or feeding rate should be made gradually over a period of 7 to 10 days. Changes in feeding rate should not exceed 1 pound per day. Feed at regular times at least twice daily. If horse is hot, excited, or ill, delay feeding. Do not allow horse to over-consume or eat rapidly.

An effective internal parasite control program is essential to your horse's health. Observe your horse's condition regularly. Consult your veterinarian if any problems arise. Provide a source of fresh, clean water at all times.

WEIGHT OF HORSE	800	900	1000	1100	1200	1300	1400
HAY/PASTURE (min. lb/day)	8	9	10	11	12	13	14
TRACK STAR® with BEET PULP lb of feed/day							
MODERATE WORK	7.5	8.5	9.5	10.3	11.2	12.2	13.2
HEAVY WORK	11.5	13.0	14.2	15.5	17.0	18.5	20.0



**CAUTION:** Feed is perishable. Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Do not feed moldy or insect-infested feed to horses as it may cause illness or death.