

# 1025

DIG. ENERGY	1541.04	Kcal/l
TDN	74.19	%
PROTEIN		%
LYSINE	0.41	%
FAT	3.52	%
FIBER	7.02	%
NDF	15.77	%
ADF	9.99	%
ASH	5.07	%
CALCIUM	0.86	%
PHOSPHORUS	0.44	%
MAGNESIUM	0.26	%
POTASSIUM	0.99	%
SODIUM	0.18	%
SULFUR	0.19	%
COPPER	6.47	mg/lb
IODINE	0.11	mg/lb
IRON		mg/lb
MANGANESE	26.88	mg/lb
SELENIUM		mg/lb
ZINC		mg/lb
COBALT	0.15	mg/lb
CAROTENE	1.26	mg/lb
VITAMIN A	0.51	KIU/lb
VITAMIN D		KIU/lb
VITAMIN E	10.33	IU/lb
BIOTIN		mg/lb
CHOLINE	426.44	mg/lb
FOLATE	0.23	mg/lb
NIACIN	26.73	mg/lb
PANTOTHENIC A	ACID 6.09	mg/lb
RIBOFLAVIN	0.81	mg/lb
THIAMINE	2.58	mg/lb
PYRIDOXINE	3.07	ma/lh

## **NACOGDOCHES HORSE** & CATTLE FEED

An economical sweet feed for horses and cattle

#### **FEATURES**


- 1541 Kcal/lb
- \* 10% protein
- \* Mixture of corn, oats, and pellets

#### **BENEFITS**

- Diverse formulated for horses and cattle
- Molasses improves palatability and eliminates dust
  - Economical-only one feed is needed for both horses and cattle

## **GUARANTEED ANALYSIS**

Crude Protein, min 10.00% Crude Fat, min 3.00%
Crude Fiber, max 10.00%
Calcium (Ca), min 0.50%
Calcium (Ca), max 1.00%
Phosphorus (P), min 0.40%
Salt (NaCl), min 0.20%
Salt (NaCl), max 0.75%
Potassium (K), min 0.50%
Copper (Cu), min 10 (ppm)
Selenium (Se), min 0.10 (ppm)
Zinc (Zn), min 20 (ppm)



### **INGREDIENTS**

Grain products, plant protein products, processed grain by-products, roughage products (10%), cane molasses, dicalcium phosphate, calcium carbonate, salt.

#### **FEEDING DIRECTIONS**

HORSES: The recommended feeding rate is shown in the chart below. Observe your horse over a period of time. The recommended rates may be increased or decreased by 10% to keep your horse in the desired condition. Do not exceed more than 10% above the recommended rate. Do not feed free choice.

WT. OF HORSE (LB)	600	800	1000	1200	1400
Hay/Pasture (min. lb/day)	6	8	10	12	14
Nacogdoches Horse & Cattle	Feed (lb/da	y)			
Maintenance Only	4	5	6	7	8
Light Work	5	7	9	11	12
Moderate Work	7	9	12	14	16

Changes in feed or feeding rate should be made gradually over several days. Changes in feeding rate should not exceed 1 pound per day. Feed at regular times at least twice daily. If horse is hot, excited, or ill, delay feeding. Do not allow horse to over-consume or eat rapidly. An e ective parasite control program is essential to your horse's health. Observe your horse's condition regularly. Consult your veterinarian if any problems arise.

CATTLE: Feed 1 to 2 pounds per 100 pounds of body weight daily. Provide plenty of good quality hay or pasture and fresh, clean water. Keep Lone Star® 12-12 Mineral and salt available free choice.

CAUTION: Changes in feed should be made gradually. Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed as it may cause illness or death.