

TEXTURED

HORSE FEEDS

1022

PRODUCT DATA

PRODUCT		
DIG. ENERGY	. 1276.03	Kcal/lb
TDN		%
PROTEIN	. 10.08	%
LYSINE	. 0.38	%
FAT	. 2.57	%
FIBER	. 14.90	%
NDF	. 24.56	%
ADF	23.08	%
ASH		%
CALCIUM	. 1.21	%
PHOSPHORUS	. 0.57	%
MAGNESIUM	. 0.40	%
POTASSIUM	. 1.28	%
SODIUM		%
SULFUR	. 0.20	%
COPPER	. 8.24	mg/lb
IODINE	. 0.14	mg/lb
IRON	. 83.12	mg/lb
MANGANESE	61.73	mg/lb
SELENIUM	. 0.13	mg/lb
ZINC	. 7.56	mg/lb
COBALT	. 0.16	mg/lb
CAROTENE	. 0.55	mg/lb
VITAMIN A	. 0.22	KIU/lb
VITAMIN D	. 0.00	KIU/lb
VITAMIN E	. 8.64	IU/lb
BIOTIN	. 0.20	mg/lb
CHOLINE	. 451.03	mg/lb
FOLATE	. 0.22	mg/lb
NIACIN	. 27.68	mg/lb
PANTOTHENIC ACID	. 7.16	mg/lb
RIBOFLAVIN		mg/lb
THIAMIN		mg/lb
PYRIDOXINE		mg/lb
VITAMIN B12	. 0.00	mcg/lb

TEXAS FARM PRODUCTS COMPANY NACOGDOCHES, TEXAS

SWEET TREAT

An all-purpose, economical sweet feed

FEATURES

- * 10% protein
- * Mixture of corn, oats and pellets

BENEFITS

- * Diverse can be fed to horses and cattle.
- * Molasses improves palatability and eliminates dust.



GUARANTEED ANALYSIS

GUALIANT ELD ANALTOID
Crude Protein, minimum 10.00%
Crude Fat, minimum 2.50%
Crude Fiber, maximum 16.00%
Calcium (Ca), minimum 1.00%
Calcium (Ca), maximum 1.50%
Phosphorus (P), minimum 0.50%
Salt (NaCl), minimum 0.50%
Salt (NaCl), maximum 1.00%
Potassium (K), minimum 0.50%
Copper (Cu), minimum 10 (ppm)
Selenium (Se), minimum 0.10 (ppm)
$Zinc \; (Zn), minimum \dots \qquad \qquad 15 \; (ppm)$

INGREDIENTS

Grain products, plant protein products, processed grain by-products, roughage products (25%), cane molasses, calcium carbonate, dicalcium phosphate, salt.

FEEDING DIRECTIONS

HORSES: Feed 1 to 1¹/2 lb per 100 lb of body weight per head per day with adequate good quality hay or grazing. Do not feed free choice. Do not exceed the recommended feeding rate. Provide a source of fresh, clean water at all times.

CATTLE: Feed 1 to 2 lb per 100 lbs of body weight per head per day with adequate good quality hay or grazing. Provide a source of fresh, clean water at all times.

CAUTION: Changes in feed should be made gradually. Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed as it may cause illness or death.