



TEXTURED

HORSE FEEDS

1026

PRODUCT DATA

DIG. ENERGY	1504.23	Kcal/lb
TDN	71.58	%
PROTEIN	12.12	%
LYSINE	0.56	%
FAT	3.25	%
FIBER	8.92	%
NDF	17.83	%
ADF	12.61	%
ASH	6.20	%
CALCIUM	0.73	%
PHOSPHORUS	0.48	%
MAGNESIUM	0.29	%
POTASSIUM	1.15	%
SODIUM	0.25	%
SULFUR	0.22	%
COPPER	7.41	mg/lb
IODINE	0.13	mg/lb
IRON	62.01	mg/lb
MANGANESE	32.54	mg/lb
SELENIUM	0.10	mg/lb
ZINC	11.46	mg/lb
COBALT	0.15	mg/lb
CAROTENE	0.97	mg/lb
VITAMIN A	0.39	KIU/lb
VITAMIN D	0.00	KIU/lb
VITAMIN E	9.19	IU/lb
BIOTIN	0.15	mg/lb
CHOLINE	496.98	mg/lb
FOLATE	0.23	mg/lb
NIACIN	25.97	mg/lb
PANTOTHENIC ACID ..	6.62	mg/lb
RIBOFLAVIN	0.87	mg/lb
THIAMINE	2.51	mg/lb
PYRIDOXINE	2.91	mg/lb
VITAMIN B12	0.00	mcg/lb

TEXAS FARM PRODUCTS COMPANY
NACOGDOCHES, TEXAS

SWEET GOLD 12


An economical sweet feed for horses and cattle

FEATURES

- * 1504 Kcal/lb
- * 12% protein
- * Mixture of corn, oats and pellets

BENEFITS

- * Diverse - formulated for horses and cattle
- * Molasses improves palatability and eliminates dust
- * Economical - only one feed is needed for both horses and cattle



GUARANTEED ANALYSIS

Crude Protein, minimum	12.00%
Crude Fat, minimum	3.00%
Crude Fiber, maximum	10.00%
Calcium (Ca), minimum	0.50%
Calcium (Ca), maximum	1.00%
Phosphorus (P), minimum	0.45%
Salt (NaCl), minimum	0.25%
Salt (NaCl), maximum	1.00%
Potassium (K), minimum	0.75%
Copper (Cu), minimum	10 ppm
Selenium (Se), minimum	0.10 ppm
Zinc (Zn), minimum	25 ppm

INGREDIENTS

Grain products, plant protein products, processed grain by-products, roughage products (10%), cane molasses, calcium carbonate, dicalcium phosphate, salt.

FEEDING DIRECTIONS

HORSES: The recommended feeding rate is shown in the chart below. Observe your horse over a period of time. The recommended feeding rates may be increased or decreased by 10% to keep your horse in the desired condition. Do not exceed more than 10% above the recommended rate. Do not feed free choice.

Wt. of Horse	600	800	1000	1200	1400
HAY/PASTURE (min. lb/day)	6	8	10	12	14
SWEET GOLD "12"					
Maintenance Only (lb/day)	4	5	6	7	8
Light Work	5	7	9	11	12
Moderate Work	7	9	12	14	16

Changes in feed or feeding rate should be made gradually over several days. Changes in feeding rate should not exceed 1 pound per head per day. Feed at regular times at least twice daily. If horse is hot, excited, or ill, delay feeding. Do not allow horse to over-consume or eat rapidly.

An effective parasite control program is essential to your horse's health. Observe your horse's condition regularly. Consult your veterinarian if any problems arise.

CATTLE: Feed 1 to 2 pounds per 100 pounds of body weight daily to beef cattle on pasture. Provide a source of fresh, clean water at all times. Keep Lone Star Kal-Phos 12-12 Mineral Supplement and salt available free choice.

CAUTION: Changes in feed should be made gradually. Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed as it may cause illness or death.