



RANGE MEAL

FOR RUMINANTS ONLY

CATTLE FEEDS

1037

PRODUCT DATA

DIG. ENERGY	883.27	Kcal/lb
ME	0.73	Mcal/lb
NE MAINTENANCE	0.48	Mcal/lb
NE GAIN	0.31	Mcal/lb
TDN	44.07	%
PROTEIN	15.04	%
DIG. PROTEIN	12.84	%
NPN	5.02	%
LYSINE	0.36	%
FAT	4.77	%
FIBER	4.25	%
ASH	5.70	%
CELL WALLS	12.25	%
ADF	6.91	%
CELLULOSE	4.28	%
LIGNIN	1.81	%
CALCIUM	2.54	%
CHLORINE	19.43	%
COBALT	0.31	mg/lb
COPPER	8.54	mg/lb
IRON	64.26	mg/lb
IODINE	0.28	mg/lb
MAGNESIUM	0.53	%
MANGANESE	72.78	mg/lb
PHOSPHORUS	0.60	%
POTASSIUM	1.32	%
SODIUM	13.15	%
SELENIUM	0.08	mg/lb
SULFUR	0.46	%
ZINC	33.45	mg/lb
RIBOFLAVIN	0.86	mg/lb
THIAMINE	3.03	mg/lb
NIACIN	39.73	mg/lb
PAN ACID	6.43	mg/lb
CHOLINE	398.69	mg/lb
PYRIDOXINE	0.75	mg/lb
FOLIC ACID	0.18	mg/lb
VITAMIN B12	0.31	mcg/lb
VITAMIN E	9.89	IU/lb
VITAMIN A	5.11	KIU/lb
VITAMIN D	1.23	KIU/lb

TEXAS FARM PRODUCTS COMPANY
NACOGDOCHES, TEXAS

HAY STRETCHER 2:1 RANGE MEAL

An economical self-limiting source of protein, minerals and vitamins.

FEATURES

- * 15% protein
- * Provides protein, minerals, and vitamins all in one
- * 33% salt

BENEFITS

- * Provides nutrients that may be lacking in forages.
- * Cuts feeding cost--provides protein, minerals, and vitamins in one product.



GUARANTEED ANALYSIS

Crude Protein, minimum	15.00%
Crude Fat, minimum	3.00%
Crude Fiber, maximum	5.00%
Calcium (Ca), minimum	1.75%
Calcium (Ca), maximum	2.75%
Phosphorus (P), minimum	0.60%
Salt (NaCl), minimum	30.00%
Salt (NaCl), maximum	35.00%
Potassium (K), minimum	0.50%
Vitamin A, minimum	5,000 IU/LB
Vitamin D3, minimum	1,230 IU/LB

INGREDIENTS

Processed grain by-products, salt, grain products, cane molasses, calcium carbonate, urea, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

FEEDING DIRECTIONS

Feed free choice in covered feeders to beef cattle on pasture. Provide a source of fresh, clean water at all times.

CAUTION: For ruminants only. Do not feed to horses, mules, colts, ponies, or hogs. Changes in feed should be made gradually. Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed as it may cause illness or death.