



3/4" CUBES

FOR RUMINANTS ONLY

CATTLE FEEDS

1039

PRODUCT DATA

DIG. ENERGY	1021.88	Kcal/lb
ME	0.88	Mcal/lb
NE MAINTENANCE ..	0.50	Mcal/lb
NE GAIN	0.33	Mcal/lb
TDN	51.06	%
PROTEIN	11.27	%
DIG. PROTEIN	9.47	%
NPN	1.44	%
LYSINE	0.29	%
FAT	3.24	%
FIBER	23.19	%
ASH	8.94	%
CELL WALLS	28.00	%
ADF	16.81	%
CELLULOSE	11.25	%
LIGNIN	5.34	%
CALCIUM	1.74	%
CHLORINE	0.50	%
COBALT	0.26	mg/lb
COPPER	8.07	mg/lb
IRON	729.67	mg/lb
IODINE	0.20	mg/lb
MAGNESIUM	0.92	%
MANGANESE	106.14	mg/lb
PHOSPHORUS	0.53	%
POTASSIUM	1.17	%
SODIUM	0.86	%
SELENIUM	0.21	mg/lb
SULFUR	0.24	%
ZINC	48.48	mg/lb
RIBOFLAVIN	0.72	mg/lb
THIAMINE	5.11	mg/lb
NIACIN	27.68	mg/lb
PAN ACID	4.88	mg/lb
CHOLINE	311.85	mg/lb
PYRIDOXINE	2.39	mg/lb
FOLIC ACID	0.27	mg/lb
VITAMIN B12	0.13	mcg/lb
VITAMIN E	13.05	IU/lb
VITAMIN A	5.95	KIU/lb
VITAMIN D	1.23	KIU/lb

TFP NUTRITION
NACOGDOCHES, TEXAS

HAY STRETCHER RANGE CUBES

An economical 11% equivalent protein range cube for beef cattle which helps extend limited pasture or hay supplies.

FEATURES

- * 1021 kcal/lb
- * 11% protein
- * Easy to handle, easy to feed
- * Fortified with vitamins & minerals

BENEFITS

- * Efficient use of protein to extend the use of pasture or hay
- * Helps maintain good herd health
- * Aids in the digestion of roughage

GUARANTEED ANALYSIS

Crude Protein, minimum	11.00%
(This includes not more than 2.00% equivalent crude protein from non-protein nitrogen.)	
Crude Fat, minimum	2.00%
Crude Fiber, maximum	25.00%
Calcium (Ca), minimum	1.00%
Calcium (Ca), maximum	2.00%
Phosphorus (P), minimum	0.50%
Salt (NaCl), minimum	0.50%
Salt (NaCl), maximum	1.00%
Potassium (K), minimum	0.75%
Vitamin A, minimum	5,000 IU/LB

INGREDIENTS

Processed grain by-products, roughage products (35%), forage products, cane molasses, calcium carbonate, urea, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

FEEDING DIRECTIONS

Feed to beef cattle on pasture at the rate of 4 to 6 pounds per head per day. Feeding rate is determined by pasture condition and stage of production of animals. Distribute cubes on ground in order to assure uniform consumption. Provide a source of fresh, clean water at all times.

CAUTION: For ruminants only. Do not feed to horses, mules, colts, ponies, or hogs. Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.

