

1/8" PELLETS

HORSE FEEDS

1096

PRODUCT DATA

PRODUCT DATA							
DIG. ENERGY		Kcal/lb					
TDN		%					
PROTEIN	12.07	%					
LYSINE	0.60	%					
FAT	4.13	%					
FIBER	18.37	%					
NDF	32.44	%					
ADF	29.07	%					
ASH	11.24	%					
CALCIUM	0.87	%					
PHOSPHORUS	0.59	%					
MAGNESIUM	0.50	%					
POTASSIUM	1.44	%					
SODIUM		%					
SULFUR	0.19	%					
COPPER	10.36	mg/lb					
IODINE	0.43	mg/lb					
IRON	75.16	mg/lb					
MANGANESE	97.62	mg/lb					
SELENIUM	0.20	mg/lb					
ZINC	31.55	mg/lb					
COBALT	0.20	mg/lb					
CAROTENE	3.16	mg/lb					
VITAMIN A	4.26	KIU/lb					
VITAMIN D	0.37	KIU/lb					
VITAMIN E	46.43	IU/lb					
BIOTIN	0.37	mg/lb					
CHOLINE		mg/lb					
FOLATE	0.78	mg/lb					
NIACIN	52.06	mg/lb					
PANTOTHENIC ACID	10.42	mg/lb					
RIBOFLAVIN	3.14	mg/lb					
THIAMINE	5.51	mg/lb					
PYRIDOXINE	4.39	mg/lb					
VITAMINI R12		mca/lh					

TFP NUTRITION NACOGDOCHES, TEXAS

CAUTION: Feed is perishable. Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Do not feed moldy or insectinfested feed as it may cause illness or death.

SUPER GLO® 2


A pelletized, vitamin fortified ration with built in roughage.

FEATURES

- * 12% protein
- * High fiber -- 20%
- * Fortified with vitamins A, D, & E
- * Easy to handle, easy to feed pellets

BENEFITS

- * Labor saving! No need to store and feed large amounts of hay.
- * Convenient -- Feed only one product.
- * Provides a good source of roughage.
- * Minimal waste -- Pellets ensure that full ration is consumed.



GUARANTEED ANALYSIS

0.07.11.0.11.1.2.2.2.7.11.7.2.1.0.10
Crude Protein, minimum 12.00%
Crude Fat, minimum 3.00%
Crude Fiber, maximum 20.00%
Calcium (Ca), minimum 0.50%
Calcium (Ca), maximum 1.00%
Phosphorus (P), minimum 0.45%
Copper (Cu), minimum 20 ppm
Selenium (Se), minimum 0.20 ppm
Zinc (Zn), minimum 50 ppm
Vitamin A, minimum 3,000 IU/LB
Vitamin D3, minimum 375 IU/LB
Vitamin E, minimum 36 IU/LB

INGREDIENTS

Grain products, processed grain by-products, plant protein products, roughage products (30%), forage products, cane molasses, calcium carbonate, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, folic acid, thiamine mononitrate, pyridoxine hydrochloride, biotin, sodium selenite, zinc sulfate, ferrous sulfate, manganese sulfate, sulfate, ethylenediamine copper dihydroiodide.

FEEDING DIRECTIONS

The recommended feeding rate for SUPER GLO® 2 is shown below. Do not feed free choice. Provide hay or pasture along with a source of fresh, clean water. If you feed by dry measure, periodically weigh the feed to ensure that the proper amount is being fed. Observe the condition of your horse over a period of time. The recommended feeding rates may be increased or decreased to keep your horse in the desired condition.

Changes in feed or feeding rate should be made gradually over several days. Changes in feeding rate should not exceed 1 pound per day. Feed at regular times at least twice daily. If horse is hot, excited, or ill, delay feeding. Do not allow horse to over-consume or eat rapidly.

An effective parasite control program is essential to your horse's health. Observe your horse's condition regularly. Consult a veterinarian if any problems arise.

Wt. of Horse	600	800	1000	1200	1400
HAY/PASTURE			free choice		
SUPER GLO® 1 (min. lb/day)					
Maintenance	9	12	15	18	21
Light Work	10 ¹ /2	14	17 ¹ /2	21	24 ¹ /2
Moderate Work	12	16	20	24	28