

1/8" PELLETS

HORSE FEEDS

1097

PRODUCT DATA

DIG. ENERGY	1342.74	Kcal/lb
TDN	66.72	%
PROTEIN	14.12	%
LYSINE	0.70	%
FAT	3.38	%
FIBER	11.77	%
NDF	17.71	%
ADF	17.42	%
ASH		%
CALCIUM	0.68	%
PHOSPHORUS	0.56	%
MAGNESIUM	0.41	%
POTASSIUM	1.39	%
SODIUM	0.41	%
SULFUR	0.21	%
COPPER	10.98	mg/lb
IODINE	0.43	mg/lb
IRON	66.35	mg/lb
MANGANESE	62.84	mg/lb
SELENIUM	0.21	mg/lb
ZINC	30.71	mg/lb
COBALT	0.15	mg/lb
CAROTENE	3.49	mg/lb
VITAMIN A	4.40	KIU/lb
VITAMIN D	0.38	KIU/lb
VITAMIN E	44.96	IU/lb
BIOTIN	0.33	mg/lb
CHOLINE	575.53	mg/lb
FOLATE	0.79	mg/lb
NIACIN	43.45	mg/lb
PANTOTHENIC ACID	9.81	mg/lb
RIBOFLAVIN	3.19	mg/lb
THIAMINE	5.38	mg/lb
PYRIDOXINE		mg/lb
VITAMIN B12	10.00	mcg/lb

TFP NUTRITION NACOGDOCHES, TEXAS

CAUTION: Feed is perishable. Feed should be stored in a wellventilated, dry area that is protected from rodents and insects. Do not feed moldy or insect-infested feed as it may cause illness or death.

SUPER GLO® 3


A pelletized, vitamin fortified ration formulated for performance, breeding and working horses.

FEATURES

- High energy --1342 Kcal/lb
- 14% protein
- Fortified with vitamins A, D, & E
- Easy to handle. easy to feed grain sized pellets

BENEFITS

- * Top condition and health is maintained.
- * Excellent ration for breeding horses.
- * Horses consume full ration -- pellets prevent sorting.



GUARANTEED ANALYSIS

GOALIANT EED ANAELOIG	
Crude Protein, minimum	14.00%
Crude Fat, minimum	3.00%
Crude Fiber, maximum	12.00%
Calcium (Ca), minimum	0.50%
Calcium (Ca), maximum	1.00%
Phosphorus (P), minimum	0.45%
Copper (Cu), minimum	20 ppm
Selenium (Se), minimum	0.20 ppm
Zinc (Zn), minimum	50 ppm
Vitamin A, minimum	. 3,000 IU/LB
Vitamin D3, minimum	375 IU/LB
Vitamin E, minimum	36 IU/LB

INGREDIENTS

Grain products, processed grain by-products, plant protein products, roughage products (15%), forage products, cane molasses, calcium carbonate, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, folic acid, thiamine mononitrate, pyridoxine hydrochloride, biotin, sodium selenite, zinc sulfate, ferrous sulfate, manganese sulfate. copper sulfate ethylenediamine dihydroiodide.

FEEDING DIRECTIONS

The recommended feeding rate for SUPER GLO® 3 is shown below. Do not feed free choice. Provide plenty of good quality hay or pasture along with a source of fresh, clean water. If you feed by dry measure, periodically weigh the feed to ensure that the proper amount is being fed. Observe the condition of your horse over a period of time. The recommended feeding rates may be increased or decreased to keep your horse in the desired condition.

Changes in feed or feeding rate should be made gradually over several days. Changes in feeding rate should not exceed 1 pound per day. Feed at regular times at least twice daily. If horse is hot, excited, or ill, delay feeding. Do not allow horse to over-consume or eat rapidly.

An effective parasite control program is essential to your horse's health. Observe your horse's condition regularly. Consult a veterinarian if any problems arise.

PERFORMANCE HORSES

WEIGHT OF HORSE	600	800	1000	1200	1400
Hay/Pasture (min. lb/day)	6	8	10	12	14
SUPER GLO® 3 (min. lb/day)					
Maintenance	5	51/2	6	61/2	7
Light Work	51/2	6	61/2	7	71/2
Moderate Work	6	7	8	9	10
Heavy Work	91/2	11	121/2	13	151/2

BREEDING HORSES

WEIGHT OF HORSE	600	800	1000	1200	1400
Hay/Pasture (min. lb/day)	6	8	10	12	14
SUPER GLO® 3 (min. lb/day)					
Maintenance*	5	51/2	6	61/2	7
Gestation (last 90 days)	5 ¹ / ₂	61/2	71/2	81/2	91/2
Lactation (first 90 days)**	101/2	131/2	15 ¹ / ₂	181/2	201/2
Breeding Stallions	61/2	71/2	81/2	91/2	101/2

^{*}Stallions and open mares.

GROWING HORSES

WEIGHT OF HORSE	700	800	900	
Hay/Pasture (min. lb/day)	5	6	7	
SUPER GLO® 3 (min. lb/day)	9	81/2	8	

^{**}Gradually reduce feeding rate after 90 days to maintain desired condition.