



POULTRY FEEDS

1153

PRODUCT DATA

ME	919.05	Kcal/lb
PROTEIN	17.03	%
ARGININE	1.17	%
GLYCINE	0.97	%
SERINE	0.83	%
HISTIDINE	0.40	%
ISOLEUCINE	0.74	%
LEUCINE	1.33	%
LYSINE	0.87	%
METHIONINE	0.33	%
CYSTINE	0.24	%
PHENYLALANINE	0.70	%
TYROSINE	0.61	%
THREONINE	0.61	%
TRYPTOPHANE	0.20	%
VALINE	0.86	%
FAT	3.05	%
LINOLEIC ACID	1.18	%
FIBER	7.28	%
CALCIUM	3.77	%
TOTAL PHOS.	0.65	%
AVAILABLE PHOS. ...	0.35	%
POTASSIUM	0.93	%
CHLORINE	0.36	%
COBALT	0.23	mg/lb
IODINE	0.65	mg/lb
IRON	70.69	mg/lb
MAGNESIUM	0.41	%
MANGANESE	72.99	mg/lb
SODIUM	0.27	%
SULFUR	0.20	%
COPPER	4.52	mg/lb
SELENIUM	0.19	mg/lb
ZINC	48.09	mg/lb
BIOTIN	0.11	mg/lb
CHOLINE	631.65	mg/lb
FOLIC ACID	0.56	mg/lb
NIACIN	29.50	mg/lb
PANTOTHENIC ACID	8.96	mg/lb
PYRIDOXINE	2.90	mg/lb
RIBOFLAVIN	2.85	mg/lb
THIAMINE	3.08	mg/lb
VITAMIN A	3.68	KIU/lb
VITAMIN D3	1.25	KIU/lb
VITAMIN B12	4.53	mcg/lb
VITAMIN E	10.85	IU/lb

TEXAS FARM PRODUCTS COMPANY
NACOGDOCHES, TEXAS

17% PROTEIN ALL MASH PELLETS

A balanced laying ration with over twenty years of proven performance.

FEATURES

- * 17% protein
- * Pelletized
- * Balanced vitamins, minerals, and amino acids
- * Available in 50 lb. (code #1153) and 25 lb. (code #1156) sizes
- * Available in crumbles also! (Code #1165)

BENEFITS

- * Increased egg production
- * Less feed waste
- * Harder egg shells

GUARANTEED ANALYSIS

Crude Protein, minimum	17.00%
Lysine, minimum	0.70%
Methionine, minimum	0.30%
Crude Fat, minimum	3.00%
Crude Fiber, maximum	8.00%
Calcium (Ca), minimum	3.25%
Calcium (Ca), maximum	4.25%
Phosphorus (P), minimum	0.60%
Salt (NaCl), minimum	0.25%
Salt (NaCl), maximum	0.75%

INGREDIENTS

Grain products, plant protein products, processed grain by-products, roughage products (10%), forage products, cane molasses, calcium carbonate, salt, DL-methionine, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, vitamin B12 supplement, riboflavin supplement, niacin supplement, calcium pantothenate, choline chloride, menadione sodium bisulfite complex, folic acid, pyridoxine hydrochloride, thiamine mononitrate, sodium selenite, biotin, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, calcium iodate, cobalt sulfate.

FEEDING DIRECTIONS

Feed free choice to chickens 18 weeks of age or older from time first egg is laid throughout egg production. Keep feeders clean and provide a source of fresh, clean water at all times.

CAUTION: Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.

