

3/8" CREEP PELLETS

MEDICATED

CATTLE FEEDS

1665

PRODUCT DATA

PRODUCT DATA		
DIG. ENERGY	1042.34	Kcal/lb
ME	. 0.88	Mcal/lb
NE MAINTENANCE	. 0.52	Mcal/lb
NE GAIN	. 0.34	Mcal/lb
TDN	. 52.05	%
PROTEIN		%
DIG. PROTEIN	. 12.01	%
NPN	. 0.00	%
LYSINE	. 0.39	%
FAT		%
FIBER	. 18.00	%
ASH		%
CELL WALLS		%
ADF	. 17.15	%
CELLULOSE	. 11.62	%
LIGNIN		%
CALCIUM		%
CHLORINE	. 0.34	%
COBALT		mg/lb
COPPER		mg/lb
IRON		mg/lb
IODINE		mg/lb
MAGNESIUM	. 0.60	%
MANGANESE		mg/lb
PHOSPHORUS		%
POTASSIUM		%
SODIUM		%
SELENIUM		mg/lb
SULFUR		%
ZINC		mg/lb
RIBOFLAVIN	. 0.89	mg/lb
THIAMINE		mg/lb
NIACIN		mg/lb
PAN ACID		mg/lb
CHOLINE	. 355.06	mg/lb
PYRIDOXINE	. 2.16	mg/lb
FOLIC ACID		mg/lb
VITAMIN B12		mcg/lb
VITAMIN E		IU/lb
VITAMIN A		KIU/lb
VITAMIN D	. 1.23	KIU/lb

TFP NUTRITION NACOGDOCHES, TEXAS

COMMERCIAL CALF CREEP PELLETS


An economical, medicated supplement for calves.

FEATURES

- * 1042 Kcal/lb
- * 14% natural protein
- * Medicated with Bovatec®
- * Vitamin fortified
- * Easy to handle, easy to feed 3/8 inch diameter pellets

BENEFITS

- * Excellent supplement to cow's milk.
- * Increased rate of weight gain
- * Adequate vitamins and minerals for balanced growth.



For increased rate of weight gain in pasture cattle (slaughter, stocker, feeder cattle, and dairy and beef replacement heifers).

ACTIVE DRUG INGREDIENT

Lasalocid 100 grams/ton

GUARANTEED ANALYSIS

0.07.0.0.0.1.==== 7.0.0.1= 1.0.0
Crude Protein, minimum 14.00%
Crude Fat, minimum 2.00%
Crude Fiber, maximum 18.00%
Calcium (Ca), minimum 1.75%
Calcium (Ca), maximum 2.25%
Phosphorus (P), minimum 0.50%
Salt (NaCl), minimum 0.25%
Salt (NaCl), maximum 0.75%
Potassium (K), minimum 0.50%
Vitamin A, minimum 5,000 IU/LB
Vitamin D3, minimum 1,230 IU/LB

INGREDIENTS

Processed grain by-products, roughage products (30%), plant protein products, grain products, calcium carbonate, cane molasses, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

FEEDING DIRECTIONS

Feed at the rate of 1.2 to 6 pounds per head per day to beef cattle on pasture. This will provide a minimum of 60 mg of lasalocid per head per day and a maximum of 300 mg per head per day. Provide a source of fresh, clean water at all times.

WARNING: A withdrawal period has not been established for this product in preruminating cattle. Do not use in calves to be processed for veal.

CAUTION: The safety of Lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. Feed should be stored in a well-ventilated, dry area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.

®Registered Trademark of Zoetis Services LLC.