



For Improved Digestion, Health, Appearance, and Overall Performance

# **GOAT FEEDS**

# 1675

#### **PRODUCT DATA**

PHODUCI	DATA	
DIG. ENERGY	1252.4	3Kcal/lb
ME	1.03	Mcal/lb
NE MAINTENANCE	0.66	Mcal/lb
NE GAIN	0.42	Mcal/lb
TDN	62.59	%
PROTEIN	16.09	%
DIG. PROTEIN	11.42	%
NPN	1.20	%
CELLULOSE	14.79	%
FAT	2.00	%
FIBER	14.48	%
LIGNIN		%
CALCIUM	1.11	%
CHLORINE	0.75	%
COBALT	0.49	mg/lb
COPPER	5.01	mg/lb
IODINE	0.33	mg/lb
IRON	87.62	mg/lb
MAGNESIUM	0.22	%
MANGANESE	40.40	mg/lb
PHOSPHORUS	0.44	%
POTASSIUM	1.02	%
SELENIUM	0.06	mg/lb
SODIUM	0.54	%
SULFUR	0.19	%
ZINC	56.51	mg/lb
CAROTENE	3.06	mg/lb
VITAMIN A	11.20	KIU/lb
VITAMIN D	2.46	KIU/lb
VITAMIN F	11 96	IU/lb

TFP NUTRITION NACOGDOCHES, TX

# PREMIUM GOAT PELLETS

A corn, cottonseed hull, and soybean hull based ration formulated to provide the extra nutrition needed for improved performance in meat producing goats.


## **FEATURES**


- 1252 Kcal/lb
- 16% Protein
- Cottonseed & Soybean Hulls
- Fish Meal
- Ammonium Chloride
- Fortified with Probiotics

#### **BENEFITS**

- \* Promotes maximum growth and weight gains.
- \* Energy/Fiber ratio allows flexibility in feeding rates.
- Ammonium chloride helps prevent formation of urinary calculi.
- Fish meal provides source of bypass protein.
- Probiotics improve digestion, health, and overall performance.

# Contains FISH MEAL





#### **GUARANTEED ANALYSIS**

Crude Protein, minimum			16	.00%	
(This in	ıcludes	not	more	than	1.2%
equivaler	nt crude	prote	in from	non-p	rotein
nitrogen.	)				
Carrello Es	at minim			4	EOO/

#### **INGREDIENTS**

Ground corn, cottonseed meal, soybean hulls (15%), cottonseed hulls (9.5%), dehydrated alfalfa meal, fish meal, rice bran, cane molasses, calcium carbonate, diatomaceous earth, ammonium chloride, salt, dried Enterococcus faecium fermentation product, dried Lactobacillus acidophilus fermentation products, yeast culture, dried Aspergillus oryzae fermentation extract, dried Aspergillus niger fermentation extract, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

### **FEEDING DIRECTIONS**

Feed at the rate of 1.5 to 2.5% of body weight daily. Feeding levels should be adjusted for desired growth and body condition. Divide the daily amount into two feedings. Provide plenty of good quality hay or grazing free choice along with a supply of fresh, clean water.

CAUTION: For ruminants only. Do not feed to horses, mules, colts, ponies, or hogs. Changes in the feeding rate should be made gradually. Feed should be stored in a wellventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.