



For Improved Digestion, Health, Appearance, and Overall Performance

GOAT FEEDS

1701

PRODUCT DATA

DIG. ENERGY	1203.11	Kcal/lb
ME	0.98	Mcal/lb
NE MAINTENANCE		Mcal/lb
NE GAIN	0.39	Mcal/lb
TDN		%
PROTEIN	17.10	%
DIG. PROTEIN		%
NPN	1.20	%
CELLULOSE	17.84	%
FAT	2.21	%
FIBER		%
LIGNIN	5.44	%
CALCIUM	1.00	%
CHLORINE	0.71	%
COBALT	0.40	mg/lb
COPPER	5.33	mg/lb
IODINE	0.30	mg/lb
IRON	118.17	mg/lb
MAGNESIUM	0.23	%
MANGANESE	45.35	mg/lb
PHOSPHORUS	0.43	%
POTASSIUM	1.32	%
SELENIUM	0.12	mg/lb
SODIUM	0.57	%
SULFUR	0.18	%
ZINC	59.01	mg/lb
CAROTENE	15.39	mg/lb
VITAMIN A	16.15	KIU/lb
VITAMIN D	2.46	KIU/lb
A CITA A AIR LET	04.00	11.101

TFP NUTRITION

NACOGDOCHES, TX

GOAT GROW & SHOW MEDICATED

A medicated, alfalfa, corn, and soybean hull based ration formulated to provide the extra nutrition needed to produce champion show goats.


FEATURES

- 1203 Kcal/lb
- * 17% Protein
- Alfalfa
- Soybean Hulls & Cottonseed Hulls
- Fish Meal
- Ammonium Chloride
- Fortified with Probiotics
- Medicated with Decoquinate

BENEFITS

- Promotes maximum growth and weight gains
- Energy/fiber ration allow flexibility in feeding rates
- * Ammonium chloride helps prevent formation of urinary calculi
- * Fish meal provides a source of bypass protein
- * Probiotics improve digestion, health, and overall performance
- * Medication aids in prevention of coccidiosis in young goats
- Easy to feed 1/8" diameter pellets ensure uniform consumption

Medicated



Flavor Enhanced

For the prevention of coccidiosis in young goats INGREDIENTS caused by Eimeria christenseni and Eimeria ninakohlyakimovae.

ACTIVE DRUG INGREDIENT

Decoquinate	27.2 grams/ton
GUARANTEED ANALYSIS	•

(This includes not more than 1.2% e	quivalei
crude protein from non-protein nitroger	1.)
Crude Fat, minimum	2.00%
Crude Fiber, maximum	19.00%
Calcium (Ca), minimum	0.95%
Calcium (Ca), maximum	1.25%
Phosphorus (P), minimum	0.40%
Salt (NaCl), minimum	1.00%
Salt (NaCl), maximum	1.50%
Copper (Cu), minimum	10 ppm
Copper (Cu), maximum	20 ppm
Selenium (Se), minimum	0.3 ppm
Vitamin A, minimum 10,0	00 ÍÚ/lb

Dehydrated alfalfa meal, ground corn, soybean hulls (15%), cottonseed meal, wheat middlings, cottonseed hulls (7.5%), rice bran, fish meal, cane molasses, calcium carbonate, salt, ammonium chloride, dried ent Streptococcus faecium fermentation product, dried Lactobacillus acidophilus fermentation product, yeast culture, dried Aspergillus oryzae fermentation extract, dried Aspergillus niger fermentation extract, vitamin A supplement, vitamin supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, sulfate, copper ferrous sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

FEEDING DIRECTIONS

Feed according to the chart below to provide 22.7 mg of decoquinate per 100 pounds of body weight per day.

Weight of Goat	Pounds of Goat
(Pounds)	Grow & Show/Day
20	0.33
40	0.66
60	1.00
80	1.33
100	1.67

Feed at least 28 days during periods of exposure to coccidiosis or when experience indicates that coccidiosis is likely to be a hazard. Provide plenty of good quality hay or grazing free choice along with a supply of fresh, clean water.

WARNING: Do not feed to goats producing milk for food.

CAUTION: For Ruminants Only. Do not feed to horses, mules, colts, ponies, or hogs.

Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed as it may cause illness or death.