



3/4" CUBES

MEDICATED

**CATTLE FEEDS**

**1032**

**PRODUCT DATA**

DIG. ENERGY .....	1441.46	Kcal/lb
ME .....	1.24	Mcal/lb
NE MAINTENANCE .	0.78	Mcal/lb
NE GAIN .....	0.51	Mcal/lb
TDN .....	72.16	%
PROTEIN .....	20.07	%
DIG. PROTEIN .....	16.39	%
NPN .....	0.00	%
LYSINE .....	0.75	%
FAT .....	2.67	%
FIBER .....	9.30	%
ASH .....	5.07	%
CELL WALLS .....	11.01	%
ADF .....	6.52	%
CELLULOSE .....	4.03	%
LIGNIN .....	2.09	%
CALCIUM .....	3.05	%
CHLORINE .....	0.48	%
COBALT .....	0.49	mg/lb
COPPER .....	9.10	mg/lb
IRON .....	518.95	mg/lb
IODINE .....	0.33	mg/lb
MAGNESIUM .....	0.66	%
MANGANESE .....	68.82	mg/lb
PHOSPHORUS .....	0.73	%
POTASSIUM .....	1.28	%
SODIUM .....	0.88	%
SELENIUM .....	0.24	mg/lb
SULFUR .....	0.29	%
ZINC .....	81.10	mg/lb
RIBOFLAVIN .....	1.01	mg/lb
THIAMINE .....	5.19	mg/lb
NIACIN .....	19.61	mg/lb
PAN ACID .....	6.38	mg/lb
CHOLINE .....	645.15	mg/lb
PYRIDOXINE .....	3.50	mg/lb
FOLIC ACID .....	0.54	mg/lb
VITAMIN B12 .....	0.00	mcg/lb
VITAMIN E .....	13.10	IU/lb
VITAMIN A .....	10.45	KIU/lb
VITAMIN D .....	2.46	KIU/lb

TEXAS FARM PRODUCTS COMPANY  
NACOGDOCHES, TEXAS

**SAFE-GUARD\* CATTLE DEWORMER CUBES 0.125%**


A dewormer for beef and dairy cattle on pasture

**FEATURES**

- \* 20% protein
- \* 3/4" diameter range cubes
- \* Contains Safe-Guard\* Dewormer

**BENEFITS**

- \* Improves herd health
- \* Deworm cattle with one feeding
- \* Labor saving - no injections, or pour-on application required



For the removal and control of Lungworms (*Dictyocaulus viviparus*); barberpole worms (*Haemonchus contortus*); brown stomach worms (*Ostertagia ostertagi*); small stomach worms (*Trichostrongylus Trichostrongylus axei*); hookworms (*Bunostomum phlebotomum*); thread-necked intestinal worms (*Nematodirus helvetianus*); small intestinal worms (*Cooperia punctata and Cooperia oncophora*); bankrupt worms (*Trichostrongylus colubriformis*); and nodular worms (*Oesophagostomum radiatum*).

**ACTIVE DRUG INGREDIENT**

Fenbendazole ..... 0.125% (567.5 mg/lb)

**GUARANTEED ANALYSIS**

Crude Protein, minimum .....	20.00%
Crude Fat, minimum .....	2.50%
Crude Fiber, maximum .....	10.00%
Acid Detergent Fiber (ADF), maximum .....	15.00%
Calcium (Ca), minimum .....	1.00%
Calcium (Ca), maximum .....	2.00%
Phosphorus (P), minimum .....	0.60%
Salt (NaCl), minimum .....	0.50%
Salt (NaCl), maximum .....	1.00%
Potassium (K), minimum .....	1.00%
Selenium (Se), minimum .....	0.20 ppm
Vitamin A, minimum .....	10,000 IU/LB

**INGREDIENTS**

Processed grain by-products, plant protein products, grain products, roughage products, cane molasses, calcium carbonate, salt, vitamin A supplement, vitamin D3 supplement, vitamin E supplement, sodium selenite, manganese sulfate, zinc sulfate, ferrous sulfate, copper sulfate, ethylenediamine dihydroiodide, cobalt carbonate.

**FEEDING DIRECTIONS**

Feed 4 pounds per 1000 pounds of body weight. This will provide 2.27 mg of fenbendazole per pound of body weight. Feed as the sole ration or topdress for one day. Retreatment may be needed after 4-6 weeks. Cattle must not be slaughtered within 13 days following last treatment. For dairy cattle, the milk discard time is zero hours. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for veal. Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism.

**CAUTION:** Feed should be stored in a well-ventilated area that is protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.

\*Safe-Guard is a registered trademark of Intervet, Inc.