



Horse & Pony Supplement Block

For Horses on Pasture

GUARANTEED ANALYSIS:

Crude Protein (Min)	16.00%
Crude Fat (Min)	0.50%
Crude Fiber (Max)	6.00%
Calcium (Min)	4.50%
Calcium (Max)	5.50%
Phosphorus (Min)	1.50%
Salt (Min).....	15.00%
Salt (Max).....	17.00%
Cobalt (Min).....	60 ppm
Copper (Min)	175 ppm
Iodine (Min)	10 ppm
Manganese (Min).....	500 ppm
Selenium (Min)	3.3 ppm
Zinc (Min)	650 ppm
Vitamin A (Min).....	30,000 IU/lb
Vitamin D-3 (Min).....	7,500 IU/lb
Vitamin E (Min).....	7.5 IU/lb

INGREDIENT STATEMENT:

Plant Protein Products, Salt, Magnesium Mica, Magnesium Limestone, Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Molasses Products, Calcium Hydroxide, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Sodium Selenite, Ethylenediamine Dihydroiodide, Calcium Iodate, Cobalt Carbonate, Cobalt Sulfate, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement and Mineral Oil.

CAUTION: Consumption of selenium should not exceed 3 mg per head daily.

WARNING: This product, which contains added copper, should not be fed to sheep or any species with a low tolerance to supplemental copper.

NET WT 33.3 Lb (15.12 Kg)

INTRODUCTORY PERIOD

Following a 7 to 10 day acclimation period, average consumption should be 1 to 2 pounds for mature horses with unrestricted forage supplies. Position the blocks 50 to 75 feet from loafing, feeding and watering areas. Some repositioning of block may be necessary as horses become acclimated to the presence of the blocks. Move block closer to increase consumption; further away to decrease consumption. If overconsumption occurs for more than two weeks and repositioning of blocks does not correct the situation, remove blocks and evaluate the overall feeding program. **DO NOT ALLOW STARVED HORSES FREE ACCESS TO THIS BLOCK.**

FEEDING RECOMMENDATIONS

1. Provide 1 block per 5 to 10 head. All horses should have equal access to blocks. Timid and smaller animals need their share.
2. Place blocks where horses congregate. Adequate distance must be maintained between blocks to minimize crowding – 10 feet minimum.
3. Feed blocks continuously with a plentiful source of forage and clean, fresh water. Horses should not run out of blocks. When a block is two-thirds consumed, provide a new block near it. Place very small pieces in a trough to be cleaned up.
4. Horses should consume 1 to 2 pounds per head daily based on a 1,000-pound animal.
5. Consumption of this block may vary depending upon animal body condition, quality and quantity of forages, seasonal weather conditions, and more importantly, feeding locations of block with respect to loafing, grazing feeding and watering areas.
6. If additional mineral and vitamin fortification is desired, provide an appropriate free choice mineral supplement in addition to this supplement.

For additional information, please contact your Texas Farm Products Company representative.

Batch #

Manufactured for:
Texas Farm Products Company
Nacogdoches, TX 75963-0009

11171