

## **TEXTURED**

# HORSE FEEDS

# 1024

#### **PRODUCT DATA**

PRODUCT	DAIA	
DIG. ENERGY	1329.16	Kcal/lb
TDN	62.04	%
PROTEIN	12.06	%
LYSINE	0.56	%
METHIONINE	0.13	%
FAT	2.52	%
FIBER	13.42	%
NDF	21.62	%
ADF	20.21	%
ASH	9.54	%
CALCIUM	1.13	%
PHOSPHORUS	0.55	%
MAGNESIUM	0.39	%
POTASSIUM	1.55	%
SODIUM	0.36	%
SULFUR	0.24	%
COPPER	9.93	mg/lb
IODINE	0.20	mg/lb
IRON	82.55	mg/lb
MANGANESE	56.01	mg/lb
SELENIUM	0.12	mg/lb
ZINC		mg/lb
COBALT		mg/lb
CAROTENE	0.47	mg/lb
VITAMIN A	0.19	KIU/lb
VITAMIN D	0.00	KIU/lb
VITAMIN E	7.79	IU/lb
VITAMIN K	0.00	mg/lb
BIOTIN	0.21	mg/lb
CHOLINE	517.46	mg/lb
FOLATE	0.22	mg/lb
NIACIN	26.20	mg/lb
PANTOTHENIC ACID .	8.31	mg/lb
RIBOFLAVIN	0.93	mg/lb
THIAMINE		mg/lb
PYRIDOXINE		mg/lb

TFP NUTRITION
NACOGDOCHES, TEXAS

# **12% SWEET TREAT**

An economical sweet feed for horses and cattle

#### **FEATURES**

- \* 12% protein
- Mixture of corn, oats, pellets and molasses

#### **BENEFITS**

- \* Diverse can be fed to horses & cattle
- \* Molasses improves palatability and eliminates dust.



## **GUARANTEED ANALYSIS**

Crude Protein, minimum
Calcium (Ca), minimum 1.00%
Calcium (Ca), maximum 1.50%
Phosphorus (P), minimum 0.50%
Salt (NaCl), minimum 0.50%
Salt (NaCl), maximum 1.00%
Potassium (K), minimum 0.75%
Copper (Cu), minimum 10 ppm
Selenium (Se), minimum 0.10 ppm
Zinc (Zn), minimum 15 ppm

#### **INGREDIENTS**

Grain products, processed grain by-products, roughage products (20%), plant protein products, cane molasses, calcium carbonate, dicalcium phosphate, salt.

#### **FEEDING DIRECTIONS**

**HORSES:** Feed 1 to 1½ lb per 100 lb of body weight daily with adequate good quality hay or grazing. Do not feed free choice or exceed the recommended feeding rate. Feed at regular times at least twice daily. Provide a source of fresh, clean water at all times. **CATTLE:** Feed 1 to 2 lb per 100 lb of body weight daily to beef cattle on pasture. Provide a source of fresh, clean water at all times along with a quality mineral supplement such as Lone Star Kal-Phos 12-12 Mineral Supplement.

**CAUTION:** Feed should be stored in a well-ventilated, dry area protected from rodents and insects. Feed is perishable. Do not feed moldy or insect-infested feed to animals as it may cause illness or death.